closed. The security deposit or the balance thereof, if any, shall be returned to the purchaser after the full value of timber purchased has been paid for and the timber fully removed.

Notification dated the 13th December 1939.

Under Section 40 of the Mysore Forest Act, notice is hereby given for general information that the following quantities of timber found unclaimed in the places noted against them are kept in the custody of the persons noted against each. Persons having any claim to the above timber may present a written statement of claim to the District Forest Offices, Mysore Division, Mysore, within a month from the date of publication of the notification, failing which, the ownership of the timber shall vest in Government free from all encumbrances under Section 42 of the Mysore Forest Act.

Name of Range	Place at which the timber was found	Kind of timber	Dimensions	With whom the timber is kept
Heggaddevankote Range.	On the bank of Kabbini River near Kittur.	Nandi	19′-3″×8′-4″×83 C.ft. (Bears mark T.K.A. 920.)	In the custody of the Patel of Kittur.

M. G. VENKATA RAO,
District Forest Officer.

ENGINEERING DEPARTMENT.

BUILDINGS DIVISION, BANGALORE.

Notification dated 30th December 1939.

Notice is hereby given that sealed tenders will be received up to 2 P.M., on 22nd January 1940 at the Office of the Executive Engineer, Buildings Division, Bangalore, for "running a Hindu Restaurant in the tiffin rooms attached to the District Office, Bangalore, for one year and five months, *i.e.*, from 1st February 1940 to 30th June 1941.

2. The period may be extended to three years at the discretion of Government on the basis of satisfaction being given by the lessee.

3. Tenders should be accompanied by an earnest money of Rs. 200 in cash and should be superscribed "Tender for running a Hindu Restaurant in the tiffin rooms of District Office, Bangalore."

4. The monthly rate of rent offered should be written both in words and figures and the same shall be paid always in advance by the 5th of each month.

5. No delay in payment of rent will be countenanced. Default in payment will involve cancellation of contract and forfeiture of deposit amount.

6. No alterations shall be effected in the building without obtaining permisssion of proper authorities beforehand. The club and its surrounds shall be kept neat and tidy. The proprietor shall be responsible for all the electrical and other fittings in the building.

7. He will provide his own stock of decent furniture and pay for light, electric, water, sanitary cess bills together with the Municipal taxes for the premises.

8. The right of running the club shall not be sublet or transferred.

9. The acceptance of tender lies with the Superintending Engineer, Mysore Circle, Mysore. His orders will be final and legally binding.

10. The name of the successful tenderer will be put up on the notice board by the end of January and the earnest money of the unsuccessful tenderers will be refunded on application.

11. The building shall not be used for dwelling purposes. Needful provision will be made for drawing electric power in the kitchen. Electric cooking ranges should be installed by the tenderer. He should put the necessary platforms and lead the smoke to the chimney.

12. The proprietor shall employ properly clothed and trained attendants and shall be bound to supply clean and wholesome preparations. The equipment of furniture will be on lines approved by Government.

M. K. RAJAM IYENGAR,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 22nd December 1939.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 15th January 1940, for Labour portion of the work for laying pipe lines for Improving Water Supply to the extension of Mandya Town. An approximate estimate of quantities is given below. These quantities are not guaranted. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which can be had on payment of four annas per each form. No tender not submitted in the prescribed form will be accepted, which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 50 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for labour portion of the Work for Improving the Water Supply to the extension of Mandya Town," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Estimate of the approximate quantities for labour portion of the work in laying pipe lines for improving water supply to the extension, Mandya Town.

No.	Particulars	Unit	Quantity
1	Earthwork excavating the pipe trench for laying C. I. pipes and refilling the same with consolidation, etc., complete in ordinary soil	C.yd.	972
	Do do do do gravelly soil	,,	972
2	Laying and lead jointing of C. I. pipes 5″ bore	No.	35
3	Do do do 1½″ bore	,,	6
4	Making flange joints with bolts and nuts and rubber insertions, etc., to the 5″ bore C. I. pipes	,,	10
5	Making cement joints to 5″ C. I. pipes	,,	319
6	Conveying, cleaning and overhauling of 5″ and 3″ C. I. valves	,,	3
7	Constructing masonry valve cisterns including fixing of C. I. Road boxes with cement fillets 2½′ × 2½′ as per type design	,,	3
8	Providing and fixing C. I. vertical type road boxes 1′ high including clamps, etc.	,,	4
9	Linking to mains with necessary earthwork removing, laying and jointing with long thread, etc., 1½″ bore complete	,,	10
10	Dumming the ends of 3″ C. I. main	,,	2
11	Plugging the branches of 1½″ and 2″ G. I. sub-mains	,,	4
12	Laying and jointing of 1½″ G. I. pipes with earth work excavation and refilling, etc., complete	R.ft.	1,820

K. S. HUTCHA RAO,
Sanitary Engineer.

KOLAR DIVISION.

Notification dated 30th December 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. on 26th January 1940, for construction of Sri Sappalammadevaru Temple at Thornahalli Village, Malur Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Kolar Division, should be addressed to the Executive Engineer, Kolar Division, in a sealed cover and superscribed as "Tender for Sri Sappalammadevaru Temple." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a treasury challan for earnest money of Rs. 195, paid to the treasury to the credit of "17 (*a*) P. W. Deposits," against the account of the Executive Engineer, Kolar Division. The earnest money of the successful tenderer will be retained, as security for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.

4. The tenders will be opened in the presence of such tenderers who wish to be present on 26th January 1940 at Kolar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful, tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications. A reserve of 5 per cent will be withheld in the work bills of the contractor and the same repaid after the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings, may be seen at any time at the Executive Engineer's Office, Kolar, on all working days between 11 A.M. and 5 P.M.

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same. When lumpsum provisions are shown in the schedule of quantities the contractor will be paid at either his tendered rate for each item or the prevailing schedule of rates in the Division at the discretion of the Executive Engineer.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

13. No reference should be made to the Public Works Department schedule of rates.

14. In the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

15. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates for the same will be calculated by the Executive Engineer on the basis of current rates for materials and labour with a contractor's profit of 5 per cent as may be approved by the Superintending Engineer. This shall be final and legally binding on the tenderer.

16. The quantities given in the schedule are only approximate and the drawings shown to the contractor are only tentative and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

17. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of September 1940, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

18. In all matters of disputes of any kind not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief or the Superintending Engineer shall be final and legally binding.

19. No claim for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reasons for such delays. Contractors should bear this in mind when tendering for the work. Extension of time due to delays caused by the departmental officers will, however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools and plant and machinery that will be supplied by the Executive Engineer in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer. The tenderer will pay the hire on tools and plant and machinery as per rules from the date of taking over of such machinery, tools and plant from the Stores to the date of return thereto, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractor should arrange for the payment of royalty and tolls.

Note.—(*a*) The contractor should at his own cost—

(1) Provide rods, stakes, ropes and labour required in setting out the works.
(2) Provide all necessary scaffolding, centering, labour and appliances for hoisting.
(3) Provide mortar mills and sheds, to keep materials under cover and also for workmen
(4) Arrange for protecting work during inclement weather.
(5) Supply requisite temporary lights, water cisterns, water pumps and hoses, sieves, parahs, shoring, strutting and other requisite protective appliances during the progress of the work.
(6) Supply all water required for work and workmen and shall provide temporary latrines and drains.
(7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.
(8) Provide arrangements for pumping and baling of water from excavations and foundations wherever and whenever necessary with his own pumping apparatus including necessary leading drains, slump pits, etc.
(9) Afford facilities to any other parties employed upon the work by the P. W. D., so that their work may proceed during the progress of the contract, and give such persons the use of ordinary scaffolding and ladders.
(10) The contractor is responsible for all accidents to workmen, etc., on the work and he must take precaution against all risk of accidents and if necessary provide for the same by insurance at the proper time.

Note.—(*b*) It is the business of the contractor to make his own arrangements for quarries and supplies of materials.

N.B.—Copies of tenders in the prescribed form are otbainable from the Office of the Executive Engineer, Kolar Division, Kolar, only on a payment of four annas per form.

Abstract of quantities for constructing Soppalammadevaru Temple at Thornahalli Village, Malur Taluk.

No.	Items of work	Unit	Rate	Quantity	Rate to be offered
			Rs. a. p.		Rs. a. p.
1	Earthwork excavation for foundation and filling in basement including tamping, etc., complete	C.yd.	0 3 0	62	
2	Burnt stone jelly concrete in lime mortar for foundation	C.ft.	0 3 6	568	
3	Size stone in mortar, to foundation and basement with necessary bond stones 6 feet apart ..	,,	0 4 0	1,204	
4	Burnt stone slabs 6″ thick in mortar for basement, exposed faces 2 lines dressed and other faces 1 line dressed	S.ft.	0 5 0	344	
5	Superstructure: burnt brick in mortar with necessary bond stones 6 feet apart ..	C.ft.	0 4 0	868	
6	Cut stone pillars with base and capital as per design, pillars 1 foot square all faces 2 lines dressed and fixed, 9′ high including caps and bases including top and bottom steel pins	Each	25 0 0	20	
7	Burnt stone slab for sill and lintels 6″ thick and fixed in mortar including rough dressing	S.ft.	0 4 0	111	

No.	Items of work	Unit	Rate	Quantity	Rate to be offered
			Rs. a. p.		Rs. a. p.
8	Wall plate burnt stone slab 2 line dressed, (outside face)	S.ft.	0 5 0	223	
9	Roofing with burnt stone slabs 4" thick with necessary top concrete, 2 courses of flat tiles and rough finished cement plastering 1 : 4 proportion, etc., complete	Sqr.	35 0 0	8·46	
10	R.C.C. ornamental sloped or curve shaped chajja as per design with anchoring 1' in the wall	R.ft.	1 8 0	138	
11	Ornamental parapet wall as per design with burnt brick in mortar including plastering with chunam mortar	R.ft.	1 8 0	102	
12	Corner slab base for Gopuram (tower) in Girbhagriha	S.ft.	0 4 0	32	
13	Burnt brick in lime mortar for Gopuram conical shaped hallow up to Gopuram with ornamental cornices at 2 ft. intervals projecting as in elevation as per design	C.ft.	0 5 0	266	
14	Ornamental work to Gopuram with brick work in mortar for exterior surfaces including nice plastering (to be paid as per details and data to be worked out, and accepted by Executive Engineer	L. S.			
15	Plastering walls with chunam mortar	Sqr.	3 0 0	25·46	
16	Flooring with burnt stone slabs one line dressed and cement pointing, etc., complete, over sand bed and edges to be nicely finished	"	30 0 0	6·40	
17	First class T. W. frame including R. C. perforated panels for windows including fixing charges	S.ft.	1 8 0	140	
18	First class T. W. frame including R. C. perforated ventilators 3"×5" frame including fixing charges	"	1 5 0	16	
19	First class T. W. doors 2" thick shutters panelled including brass fittings, locking arrangements and etc., complete, including fixing charges, etc., complete and as per design	"	2 0 0	60	
20	Constructing compound wall and gate with a Court-yard of 8' wide alround the temple (amount to be fixed upon data and quantities during execution)	L. S.			

C. R. IYENGAR,
Executive Engineer.

TUMKUR DIVISION.

Notification dated 2nd January 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Tumkur Division, up to 2 P.M. on 22nd January 1940, for Restoring Kalkote Tank Register No. 19, Sira Taluk of Tumkur District. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1940.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Tumkur between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained on payment of annas four for each form from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a treasury chellan for Rs. 450 credited to "17 (*a*) P. W. Deposits," as earnest money, and be superscribed "Tender for Restoring Kalkote Tank, Register No. 19, Sira Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per current schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words, as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than the estimated rate will not be accepted.

Details of Estimate for Restoring Kalkote Tank Reg. No. 19, Sira Taluk, Tumkur District.

No.	Description of work	Per	Rate	Quantity	Cost
	I. *Bund. R. L.* 54·00.		Rs. a. p.		Rs.
1	Clearing Jungle	L. S.	..	..	
2	Cutting trenches and grips over the bund to receive the new earth	Grade	L. S.	32	
3	Earthwork to bund with watering and consolidation complete	C.yd.	0 4 0	10,414	
4	Earthwork with lead and consolidation	,,	0 2 6	2,115	
5	Removing and resetting old revetment as per original statement wherever necessary	,,	0 12 0	689	
6	New stone revetment	,,	1 8 0	520	
7	Turfing for both rear and front slopes	S.yd.	0 0 9	10,286	
8	Carving figures and painting old grade stones	Each	0 12 0	25	
9	New grade stones complete in place of missing ones	,,	2 0 0	8	
10	New Register No. and Date stone	,,	5 0 0	1	
11	Painting and figuring new B. M. stones	,,	1 0 0	2	
12	Removing the rough stones of old weir including cutting trenches for the seat of bund	L. S.	..	..	
	II. *Waste Weir at Right end* 190 *feet long at R. L.* 50·00.				
1	Earthwork excavating foundation and forming ramp in front	C.yd.	0 4 0	115	
2	Burnt brick in surki mortar	C.ft.	0 4 0	794	
3	Providing burnt stone slab 6" thick dressed and fixed in surki mortar	S.ft.	0 6 0	540	
4	Plastering with surki mortar	Sqr.	3 8 0	7·90	
5	Earthwork draft and approach cutting and using to bund	C.yd.	0 3 6	2,000	
6	Rough stone work, new	,,	1 8 0	69	

No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	III. *Urgent and Unforeseen Works during execution*	L. S.			
	IV. (i) *Repairing the Feeder Channel.*				
1	Clearing jungle such as cutting toddy trees	Fur.	2 0 0	10	
2	Excavating the channel including forming bank in gravelly soil	C.yd.	0 3 6	2,284	
3	Earthwork embankment on the deviation line	,,	0 4 0	1,681	
4	Excavation for foundation of breach and revetment and to be used on top of bund	,,	0 4 0	87	
5	Rough stone revetment, new, for breached portion	,,	1 8 0	8	
6	Removing and resetting old stone revetment	,,	0 12 0	19	
	(ii) *Constructing a drop of 4 feet at 330 feet from the starting point in feeder channel.*				
1	Earthwork excavating foundation	C.yd.	0 4 0	27	
2	Concrete in surki mortar	C.ft.	0 4 0	87	
3	Burnt brick in surki mortar	,,	0 4 6	208	
4	Burnt stone slab	S.ft.	0 6 6	73	
5	Plastering with surki mortar	Sqr.	3 8 0	1.10	
6	Rough stone work—new	C.yd.	1 8 0	7	
	(iii) *Constructing two drops of 3 feet in feeder channel in 2-1.*				
1	Earthwork excavating foundation in hard gravelly soil	C.yd.	0 4 0	18	
2	Concrete in surki mortar	C.ft.	0 4 6	49	
3	Burnt brick in surki mortar	,,	0 4 6	126	
4	Burnt stone slabs 6″ dressed and fixed in mortar	S.ft.	0 6 6	23	
5	Plastering with surki mortar	Sqr.	3 8 0	0.79	
	(iv) *Construction of a drop of 2 feet in 7-1 of feeder channel*	L. S.			
	(v) *Constructing a cart bridge in 2nd furlong in the feeder channel of Kalkote Channel.*				
1	Earthwork excavation	C.yd.	0 4 0	26	
2	Concrete in surki mortar	C.ft.	0 4 6	111	
3	Burnt brick in surki mortar	,,	0 4 6	412	
4	Burnt stone slabs 6″ thick dressed and fixed in mortar	S.ft.	0 6 6	114	
5	Pointing with surki mortar	Sqr.	2 4 0	1.67	
6	Gravelling over the slabs, etc.	L. S.			
7	Burnt brick in mortar	C.ft.	0 4 6	35	
8	Plastering with mortar	Sqr.	3 8 0	1.00	
	(vi) *Constructing relieving weir 50 feet—No. 1 —in 4-1 in feeder channel.*				
1	Earthwork excavation for foundation	C.yd.	0 4 0	61	
2	Concrete in surki mortar	C.ft.	0 4 6	214	
3	Burnt brick in surki mortar	,,	0 4 6	470	
4	Burnt stone slabs 6″ thick dressed and fixed in mortar	S.ft.	0 6 6	201	
5	Plastering with surki mortar	Sqr.	3 8 0	5.26	
6	Rough stone work—new	C.yd.	1 8 0	40	
7	Providing joggle joints to coping slabs	Each	0 12 0	7	

No.	Description of work	Per	Rate	Quantity	Cost
			Rs. a. p.		Rs.
	(vii) *Constructing a relieving weir No. 2 in 8th furlong of the fedeer channel.*				
1	Earthwork excavation foundation	C.yd.	0 4 0	63	
2	Concrete in surki mortar	C.ft.	0 4 6	220	
3	Burnt brick in surki mortar	,,	0 4 6	599	
4	Burnt stone slabs 6" thick dressed and fixed in mortar	S.ft.	0 6 6	94	
5	Plastering with surki mortar..	Sqr.	3 8 0	2.44	
6	Rough stone work—new	C.yd.	1 8 0	67	
7	Joggles over body wall	Each	0 12 0	6	
	(viii) *Providing a wooden shutter for the vent-way with necessary masonry works for regulation*	L. S.	..	..	

P. RAJAGOPALAN,
Executive Engineer.

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Notification dated 2nd Jannary 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 22nd January 1940, for constructing drains in Konanur Town for the year 1939-40. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of June 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of annas four per form. No tender not in the prescribed form will be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 215 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for Constructing Drains in Konanur Town for the year 1939-40," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Sanitary Engineer will be final and legally binding.

Estimate of the approximate quantities for constructing drains in Konanoor Town, during the year 1939-40.

Sl. No.	Particulars	Unit	Quantity	Rate
				Rs.
1	Constructing sylk pattern drains with burnt stone slab cheeks 3″ to 4″ thick, roughly dressed, on 3″ surki concrete and 1½″ thick cement concrete bed and forming central gutter portion with cement concrete in the proportion of 1 : 2 : 4 and surface plastered with ½″ thick cement mortar (1 : 3) and joints of slabs cement pointed including earth excavation and filling, etc., complete as per design of 3″ section	R.ft.	4,347	(Rate per R.ft. to be quoted).
	Do of 4″ (1) section			
2	Constructing L shaped drain with 1½′ width of 3″ thick old burnt stone slabs for the bed and side over 9″ × 4½″ surki concrete bed at the vertex of the angle of the slabs with cement concrete fillet of about 3″ thickness for the longitudinal joints of the slabs and cement plastering the concrete and cement pointing the cross joints including earth work, etc., as per design	R.ft.	520	
	II. Constructing tunnels at junctions of roads.			
1	Earthwork excavation	C.yd.	12	
2	Surki concrete	C.ft.	27	
3	New size stone in surki mortar	,,	162	
4	Cement pointing to stone masonry	Sqr.	1.08	
5	Providing and fixing new covering slabs 6″ thick, roughly dressed	S.ft.	288	
6	Providing and fixing new pin slab dressed one line including cutting groove for fixing the parapet slab	,,	48	
7	Providing and fixing new burnt stone slab 3″ thick for parapet dressed one line	,,	72	

K. S. HUTCHA RAO,
Sanitary Engineer.

MEDICAL DEPARTMENT.

DISTRICT HOSPITAL, TUMKUR.

Tender Notice dated 30th December 1939.

1. Notice is hereby given that sealed tenders, in triplicate, on half-sheet foolscap size paper, will be received at the Office of the District Medical Officer, Tumkur, by the undersigned at 11 A.M. on Thursday the 25th January 1940, for the supply of articles of Bedding and Clothing required for the use of the District and Maternity Hospitals, Tumkur, during the year 1940-41.

2. No tender will be received after the date and hour abovementioned.

3. Tenders are to be superscribed "Tender for the supply of Bedding and Clothing to the District Hospital and Maternity Hospital, Tumkur."

4. No tender will be received unless accompanied by a deposit of Rs. 50 in treasury receipt.

5. Tenders will be opened by the District Medical Officer, Tumkur, on the date and at the hour abovementioned in the presence of such tenderers, as may choose to attend.

6. The rate of each item must be specified in figures as well as in words, and they must be for the particular kind or brand of the articles as specified in the list appended below. The value of each tender must be worked out according to the rates tendered and the total value must also be entered in ink. Tenders not conforming to this rule will be rejected.

7. The quantities stated in the list are not guaranteed.

8. The Senior Surgeon does not bind himself to accept the lowest or any other tender or to assign any reason for not accepting any tender. He may also accept one or more items in any one tender without accepting the other item or items.